## **Function Compositions**

KNOW	DO	UNDERSTAND
Be able identify a function as a composition of other	Use Desmos and Geogebra to graph compositions.	Function Characteristics: Be able to justify how the domain and
functions.	Use correct notation when describing	range change after a
	compositions.	composition.
	Evaluate compositions algebraically.	

## **Vocab & Notation**

Composition: f ∘ g
Subset: A ⊂ B

Intersection of sets: A ∩ B
Union of sets: A ∪ B

When we have two functions, it's natural to want to stitch these two functions together.

**Definition:** Consider the two functions

$$f: X \to Y$$
 and  $g: Y \to Z$ 

Then the resulting function is called a **composition** and is denoted as  $g \circ f: X \to Z$ 

**Example**: Let 
$$f = \{(-1, -1), (-8, -4), (-10, -7), (9, 1)\}$$
 and  $g = \{(-4, 9), (-1, -10), (-7, -8), (1, -1)\}$ 

Illustrate  $g \circ f$  using a map between sets and use it to determine g(f(-1)) and  $(g \circ f)(-8)$ 

**Practice**: We still have  $f: \{(-1,-1), (-8,-4), (-10,-7), (9,1)\}$  and  $g: \{(-4,9), (-1,-10), (-7,-8), (1,-1)\}$  then determine f(g(-7)) and  $(f \circ g)(-4)$ 

Once we know how compositions work, we want to be able to recognize function compositions which comes down to recognizing recurring patterns and symbols. Typically, we will see either see the same thing occur more than once or we can see the layers of functions.

$$\sqrt{(...)}$$
,  $(...)^n$ ,  $|(...)|$ ,  $\frac{1}{(...)}$ 

**Example**: If h(x) = f(g(x)) then determine possible f and g.

$$h(x) = \frac{1}{x^2 - 2} + \sqrt{x^2 - 2}$$

**Example**: If k(x) = f(g(h(x))) then determine possible f and g, and h. Note that F is a function

$$k(x) = -F\left(\left|\frac{\left(\sqrt{x} - 3\right)^3}{4}\right|\right) + 2$$

<sup>\*</sup>Easily recognizing when you have a composition of functions is vital in calculus!

## Unit 1: Functions

We also want to be able to compute compositions algebraically and simplify them accurately. This is like what we did last class where we looked at the input being something more complex than a single number.

**Practice**: Given that  $f(x) = x^2 + 4$ , g(x) = 3 - 2x, h(x) = -x,  $k(x) = \sqrt{x - 4}$ 

Determine:

$$F_1 = f(f(x))$$

$$F_2 = f(k(x))$$

$$F_3 = k(f(x))$$

$$F_4 = f(h(x))$$

$$F_5 = f\left(g\left(h(k(x))\right)\right)$$